INDEX TO VOLUME 62

New names and the final members of new combinations are in **bold face type.**

Abies 167, 534; Abies 227; balsamea 138, 148, 485, 487, 534
Abutilon Abutilon 227
Acer 251, 535; dasycarpum 482; pennsylvanicum 484, 487; rubrum 481; saccharinum 482, 484; saccharum 106, 360, 484; spicatum 534
Achillea Millefolium 485
Achlya 369
Aconitum 221
Acorus Calamus 481, 491
Acroporium 113
Acrostichum aureum 20
Actaea alba 481; rubra 481
Actea americana 481
Actinea herbacea 501
Actinomyces 421
Additional notes on tautonyms 227
Adhatoda Adhatoda 227
Adlumia fungosa 12
Aegilops 144, 497
Aesculus Hippocastanum 485
Agaricus campestris 498
Agave 148; Murpheyi 425
Aglaonema modestum 495
Agropyron pauciflorum 167; trachycaulum 167
Agrostemma Githago 485
Albuca fastigiata 135
Alchemilla 367, 547; canadensis 547
Alkaloids, The taxonomic and climatic distribution of 219
Alliaria Alliaria 227
Allium 376, 424; cepa 424; fistulosum 424, 493
Alloiosepalum 495
Alnus 534, 535; rugosa 481; serulata 481
Aloe ferox 64; hanburyana 135; Marlothii 64
Alseis 234
Alternaria 504; brassicae 233
Amanita phalloides 64
Amaryllis bifolius 406
Amelanchier canadensis 484
American Botanical Literature, Index to 59, 105, 165, 231, 291, 359, 421, 490, 539
Amoeba verrucosa 423
Amoreuxia 65
Amsonia 462
Anacamptodon splachnoides 6
Ananas Ananas 227, 230; comosus 230
Anatomy of the stem in the Lejeuneae, The 187, 259
Anemone canadensis 482; quinquefolia 480; virginiana 483
Anemonella thalictroides 480
Angiosperm phylogeny on a chemical basis 515
Anguloa brevilabris 431
Anoda cristata 363
Anomodon Toccoae 7
Anoplolejeunea 205, 206; conferta 203, 205, 207, 264, 276
Antennaria 499
Anthoceros laevis 296
Antitrichia curtipendula 198
Aphanolejeunea 261, 262; microscopica 259, 261, 262, 265, 267, 275, 276, 279
Aphanorhegma serrata 5
Aphyllon uniflorum 455, 457, 464
Aplanobacter Stewarti 62
Apocynum androsaemifolium 484
Apostle Islands region, The Nipissing flora of the 533
Apotettix eurycephalus 136, 149
Aquilegia canadensis 483
Arachis 223
Arachnion album 169
Aralia racemosa 481
Arariba 223
Araucarioxylon 366
Archilejeunea 198, 199; Spruceana 198, 199, 202, 276
Archimerus alternatus 143
Archontophoenix 540
Arctium lappa 485; minus 485
Arctostaphylos 105, 165
Arenaria 492; glabra 486; serphyllum 486; stricta 486
Ariocarpus 545
Arisaema Dracontium 394, 400; triphyllum 395, 399, 400, 480
Arisarum Arisarum 228
Aristolochia grandiflora 107
Armillaria mellea 169
Aronia botryapium 484
Ascaris megalocephala 133
Asclepias amplexicaulis 484; Cornuti 478; quadrifolia 484; syriaca 484
Ascochyta 242; Boltshauseri 499; viciae 361

Ascodesmis nigricans 175
Asilus 136; notatus 136, 148; sericeus 136, 148
Asparagus 6; officinalis 399
Aspergillus 90, 240, 365; niger 47, 81, 83, 87, 89, 90, 299; oryzae 495
Aspergillus niger, The nutritional requirements of the fungus 81
Aspidistra elatior variegata 165
Astelia 367, 498
Aster patens rosea 500
Astrodisculus araneiformis 431
Atamosco 403
Atractobasidium 340, 342, 495; **corticioides** 340
Atractobasidium, a new genus of the Tremellaceae 339
Atropa 222; Mandragora 229
Attalea Olssoni 60
Aucuba 549
Aulacomnium papillosum 59
Aureolaria virginica 484
Auricularia 342
Auriscalpium 546
Aveledoa 430
Avena 292, 313, 314, 317
AVERY, JR., GEORGE S., Differential distribution of a phytohormone in the developing leaf of Nicotiana, and its relation to polarized growth 313
Avicennia nitida 20
Azalea arborescens 486
Azara lanceolata 62
Azolla 366
Azotobacter 543

Bacillus radiobacter 168, 173; subtilis 241
Bacterium coli 57; Pruni 167; Syringae 233; typhosum 58
Balansia trinitensis 105
Baptisia tinctoria 484
BARNHART, JOHN HENDLEY, Dedicatory page, with portrait i; The published work of Elizabeth Gertrude Britton 1
Bartramia 5
Basidiobolus ranarum 370, 380
Basistemon 60
Batis 19–23; 25–27; maritima 20, 28, 235
Batis maritima L., The development of the shoot, male flower and seedling of 19
Battata 229; tuberosa 229
Befaria 495
Belamcanda chinensis 486
Bergerocactus emoryi 231
BERRY, EDWARD W., A fossil Cochlospermum from northern Patagonia 65
Beschorneria superba 135, 376
Besleria 496
Beta vulgaris 233
Betula 535; lenta 483; lutea 483; papyrifera 534; populifolia 484; pumila 534
Bibio hortulanus 145, 148, 372, 379
Bignonia trumpicans 485
Black Mesdag oats, Inheritance of resistance to loose smut in hybrids of Fulghum and 177
Blakeslee, A. F. and Sophia Satina, Fertilization in the incompatible cross Datura Stramonium×D. Metel 301
Bomarea 545
Botanical Literature, Index to American 59, 105, 165, 231, 291, 359, 421, 490, 539
Botrychium virginianum 430
Botryosphaeria ribis 112
Botrytis 50, 53, 58; cinerea 58, 418
Brachelyma robustum 8
Brachiolejeunea 202; insularis 202, 203, 205, 264, 276
Brachystola 134; magna 149
Brachythecium 297
Britton, The published work of Elizabeth Gertrude 1
Bruchia 5
Bryonia dioica 135
Bryophyllum calycinum 115
Bryophyta 5
Bryopteris 191, 192, 198; filicina 188, 190–193, 195, 264, 265, 275, 276
Bryoxiphium 6
Bryoziphium norvegicum 292
Bryum 5; proligerum 7
Buginvillea glabra 539
Bulbine annua 135
Bulbochaete 281, 282; **alpina** 281, 290; **areolata** 282, 290; brebissonii 283; **cimarronea** 282, 290; crassiuscula 282; crenulata 282; Furberae **depressa** 283, 290; gigantea 282, 283; intermedia 283; minuta 283; nana 283; Nordstedtii 283; obliqua 283; pygmaea 283; rectangularis 283; rectangularis hiloensis 283; repanda 284
Burnettia 8
Buxbaumia 6, 7
Buxella 129
Byrnesia Weinbergii 175

Calcitrapa Calcitrapa 229; stellaris 229
Caldesiella 546

Calendula 462
Calla palustris 481, 487
Callixylon Whiteanum 59
Calodon 546
Calopogon pulchellus 168
Caltha palustris 481
Calyptridium umbellatum 513
CAMP, W. H., Studies in the Ericales 1. The genus Gaylussacia in North America north of Mexico, 129
Campanula 462; americana 486, 488
Cannabis sativa 135, 395
Capsicum 79, 295, 360, 434, 444, 453, 454; annuum 75, 245, 433, 434, 449, 450, 452–454
Capsicum fruits, a genetic and developmental analysis, The factors governing shape and size in 433
Capsicum fruits, The inheritance of a geotropic response in 75
Cardamine 168, 367
Carex 548; crinita 534
Carica papaya 395
Carnegiea gigantea 107
CARTER, ANNETTA M., Riccia fluitans L.—a composite species 33
Carya 109; alba 483; amara 480; Buckleyi arkansana 294; cordiformis 480; ovata 483
CASSERA, JOSEPHINE D., Origin and development of the female gametophyte, endosperm and embryo in Orobanche uniflora 455
Castalia odorata 482
Castanea Castanea 228; dentata 483
Castilleia 234
Castilleja 362, 366
Catasetum maculatum 113
Catenaria 169
Catherinea 5
Caudalejeunea 204; Lehmanniana 203, 204, 205, 276
Ceanothus 547
Cedrus Cedrus 227, 228
Centaurea eriophora 229
Centrochloa 500
Cephaelia 223
Cephalanthes occidentalis 482
Cephalocereus polylophus 107
Cephalozia connivens 190, 270
Cerastium hirsutum 486; semidecandrum 486
Ceratiomyxa 294
Ceratodon 5
Ceratostomella Ulmi 499
Ceratozamia mexicana 133
Cercidium Torreyanum 429
Cercospora 110, 169; Rubi 55
Cercosporella 299
Cereus giganteus 498
Cetarach Cetarach 228
Chaetomium 119, 127
Chamaecyparis 131; thyoides 486
Chamaedaphne 427; calyculata 534
Chamaesyce capitellata 537; pycnanthema 537
Chara 533
Cheilophyllum 253, 428; dentatum 254, 256; **jamaicense** 254, 256; macranthum 254; **marginatum** 254, 255; micranthum 254, 256; **microphyllum** 254, 255; radicans 254; sphaerocarpum 254, 257; sphaerophyllum 257
Cheilophyllum of the West Indies, The genus 253
Cheilyctis 233
Chelidonium 222; majus 485
Chelone glabra 482
Chilopsis linearis 367
Chiloscyphus pallescens 262
Chimaphila umbellata 484
Chionodoxa lucillae 135, 376
Chlorella 62, 107; pyrenoidosa 107; vulgaris 236
Chlorococcum 234
Christisonia 464
Chromosome pairing in Yucca rupicola, A study of 133
Chromosome pairing to fertilization, The relation of 369
Chrysanthemum Leucanthemum 485
Cibotium 549
Cicedula divisa 239
Cicuta bulbifera 481; maculata 482
Cimicifuga racemosa 481
Cinchona 221, 223, 226
Cinclidotus fontinaloides 7
Circaea lutetiana 481
Cirsium altissimum 486, 488; arvense 485; lanceolatum 485
Citrullus vulgaris 491
Citrus 539; sinensis 502
Cladocera 399
Cladochytrium replicatum 494
Cladonia 294; pileolata 293
Cladosporium epibryum 2
Claytonia virginica 480
Cleistogamismus 92
Cleistogamy in Commelinantia Pringlei, Embryo sac development and 91
Clematis 430; virginiana 483

Clerodendron Thomsonae 12
Clethra alnifolia 11
Climacium 298; dendroideum 8
Clitocybe 218
Closterium 369
Clostridia 300
Coccoloba 174
Coccomyces hiemalis 59, 365
Cochlospermum 65, 67, 292; **previtifolium** 65, 66; vitifolium 67
Cochlospermum from Northern Patagonia, A fossil 65
Coenogonium Linkii 169
Coleus 326
Colletotrichum 361; phomoides 156, 163; truncatum 291
Collinsonia canadensis 481
Collybia 215, 217, 218, 425, 539; dryophila 216; platyphylla 216; **sedula** 218; velutipes 216
Collybia from Connecticut, A new species of 215
Colocasia 550; Colocasia 228
Cololejeunea 260, 261, 267
Colura 259, 260, 267; ornata 259, 265, 276
Commelina benghalensis 92; stricta 95, 99
Commelinantia 91, 92, 99, 100, 102; anomala 91, 93, 98; Pringlei 91, 92, 95, 98, 99, 101, 102, 297
Commelinantia Pringlei, Embryo sac development and cleistogamy in 91
Composite species, Riccia fluitans L.—a 33
Conium maculatum 485
Connecticut, A new species of Collybia from 215
Conophytum quarziticum 549
Convallaria biflora 480; latifolia 486; trifolia 485
Convolvulus repens 486; Sepium pubescens 486, 488
Coprinus micaceus 502; sterquilinus 298
Coptis trifolia 480, 487
Corallorhiza Corallorhiza 228
Cordaites missouriense 492
Cordia 106
Corema Conradii 2
Cornus 491; alba 482; canadensis 114, 484, 487; florida 484; stolonifera 482
Corticium 339, 341; nigrescens 339
Corydalis 222
Corylus americana 480
Corynanthe 223
Coryphantha 166, 365; columnaris 169
Coscinodon Raui 5; Renauldii 5
Costaea 495
Costus Tappenbeckianus 490
Cotinus Cotinus 228
Cotoneaster 63
Cotyledon orbiculata 546
Couma guatemalensis 494
Crataegus 69, 496; coccinea 486
Craterogyne 545
Cremosperma 496
Crepidula plana 346
Crepis 376, 500; biennis 490; capillaris 376; ciliata 490; syriaca 61
Crocodilium syriacum 229
Crocodylium Crocodylium 229
Cronartium ribicola 363
Cryptobranchus 146, 370, 377; allegheniensis 149, 374, 380
Cubeba Cubeba 228
Cucumis melo 62; sativus 168
Cucurbita 439, 444, 450, 454; Pepo 172, 246, 454
Culex 136, 137; pipiens 148
Cuphea 110
Cupressus 237; disticha 486; thyoides 486
Cuscuta 167, 174, 458; acuta 511; americana 483, 550; campestris 511; deltoidea 512; deltoidea **serrulata** 512; globosa 511; gracillima 512; Gronovii 62, 483; lacerata 512; pentagona 511; Suksdorfii 513; Suksdorfii **subpedicellata** 512; **yucatana** 511, 512
Cuscutas, Three new 511
Cyclolejeuna 206; chitonia 203, 206, 207, 276; convexistipa 203, 207, 276; peruviana 203, 207, 276
Cyclops 146, 147, 149, 370, 376–380; strenuus 376
Cydonia Cydonia 227, 228
Cypripedium arietinum 485, 487; pubescens 480
Cystolejeunea 210; lineata 208, 210, 264, 277
Cystopteris fragilis 541
Cystopus 369
Cytisus 331, 333, 335; scoparius 331, 332, 334, 501
Cytisus scoparius in Virginia with special reference to soil reaction, The natural distribution of 331
Cytological aspects of Grindelia species 69

Dadoxylon buitense 366
Dahlia 135, 136, 148

Damasonium Damasonium 227
Darluca filum 169
Dasyllis grossa 136, 148
Dasyscypha Pini 168
Datura 292, 301, 309, 310, 367; ceratocaula 301; laevis 304, 306, 307; Metel 301–306, 308–310, 312, 497; Stramonium 239, 301–310, 312, 346, 355, 485, 497; Tatula 307
Datura Metel, Fertilization in the incompatible cross Datura Stramonium×301
Datura Stramonium×D. Metel, Fertilization in the incompatible cross 301
Deamia testudo 429
Decachaena 129
Decamerium 129
Dedicatory page, with portrait i
Dentaria diphylla 481
Dentinum 546
Desmoncus 166
Development of the shoot, male flower and seedling of Batis maritima L., The 19
Developmental analysis of size and shape in tomato fruits, A 243
Dianthus Knappii 493
Dibotryon morbosum 108
Dicentra 222
Dicheirinia 423
Dichelyma 6
Dicranella heteromalla 5
Dicranolejeunea 204, 264; axillaris 203–205, 264, 275, 277
Dicranum 5
Dictyostelium discoideum 429
Diervilla Lonicera 483
Differential distribution of a phytohormone in the developing leaf of Nicotiana and its relation to polarized growth 313
Digitalis 450, 454
Dimorphandra 424
Dioscorea 291
Diplasiolejeunea 259, 260, 267; pellucida 259, 260, 265, 277; unidentata 259, 260, 262, 265, 276, 277
Dirca occidentalis 545
Dispira cornuta 490
Dissociation of Fusarium in soil, The 413
Ditrichum 5; Rhynchostegium 10
Dodecatheon 69
Dodge, B. O., A recessive factor lethal for ascospore formation in Neurospora 117
Dolichopterys 545
Draba 63; ruaxes 233
Dracaena 495
Dracunculus Dracunculus 228
Drepanolejeunea 213; inchoata 208, 213, 265, 277
Drosera rotundifolia 237
Drosophila 79, 148, 375, 378, 379, 387; melanogaster 78, 138, 145, 148, 149, 372, 374, 375, 379, 380
Dudleya 110
Dumortiera hirsuta 110
Duplications in Zephyranthes 403

Ecastaphyllum Ecastaphyllum 229
Ecastophyllum Ecastophyllum 229
Echeveria 432
Echinocereus 425; angusticeps 361; perbellus 491; Viereckii 114
Ectocarpus siliculosus 366
Ectropothecium 113; caroosiense 8
Effects of ultra-violet radiation and temperature on Fusarium I. Lethal action 45; II. Stimulation 151
Elateriospermum tapos 492
Eleocharis 299
Elytraria 109
Embryo sac development and clestogamy in Commelinantia Pringlei 91
Encalypta 5
Entosthodon Leibergii 7
Ephedra 43, 175, 238; antisiphilitica 421; antisyphilitica 43; pedunculata 43; texana 43; viridis 64
Ephedra from Western Texas, A new species of 43
Epicladium Boothianum 174
Epidendrum 291, 359
Epifagus virginiana 113
Epilobium 99, 308, 310; angustifolium 483, 487
Epipactis pubescens 483, 488
Epiphyllum 174
Equisetum 429; hyemale 484; littorale 3
Eragrostis Eragrostis 228
Ericales I. The genus Gaylussacia in North America north of Mexico, Studies in the 129
Erigeron 60
Eriogonum 544
Eriophora 229; Eriophora 229
Eriophyllum 106
Erpodium 8; domingense 112
Erysiphe 144; cichoracearum 168; graminis Tritici 171
Erythrina 223
Erythronium 421; americanum 480
Escherichia coli 156

Eschscholtzia 222
Escobaria 545
Espeletia 499
Eucalypta 5
Euchlaena 495
Eucomis bicolor 135, 376
Euglena deses 168
Eu-Lejeunea 212
Eu-Lussacia 129
Euosmolejeunea 211; trifaria 208, 211, 277
Eupatorium perfoliatum 482
Euphorbia 114, 532, 537; canariensis 106; capitellata 537; capitellata laxiflora 537; Chamberlinii 537; gladiosa 538; pycnanthema 537; ramipressa 106
Euphorbia capitellata its synonymy and range 537
Eurya 494
Euryanthe 65
Eusphaeralcea 494
Eustichia 4
Eustichium norvegicum 2
Eustoma russellianum 503
EVANS, ALEXANDER W., The anatomy of the stem in the Lejeuneae 187; 259
Evolvulus pilosus 297
Exidia 300, 342
EZEKIEL, WALTER N. AND J. J. TAUBENHAUS, Fusarium crown and root rot, and Sclerophoma stem blight, of the Texas bluebell 503

Factors governing shape and size in Capsicum fruits; a genetic and developmental analysis 433
Fagopyrum esculentum 485, 495
Fagus grandifolia 483
Felicia amelloides 168
Fertilization in the incompatible cross Datura Stramonium × D. Metel 301
Festuca sciurea 493; Tracyi 295
Filipendula Filipendula 228
Fissidens 5, 7, 11, 12; Donnellii 12; dubius 8; grandifrons 7
Flammula 430
Floral anatomy and probable affinities of the genus Grisebachiella, The 471
Fomes, Pini 172
Fontinalis 4, 6, 275; antipyretica 275, 279
Forsythia 462
Fossil Cochlospermum from northern Patagonia, A 65
Fouquieria splendens 363
Fragaria virginiana 483
Fraxinus americana 484; nigra 240, 482
Fremontia 107; mexicana 241
Fritillaria recurva 114; striata 114
Fucus 369
Fulghum and black Mesdag oats, Inheritance of resistance to loose smut in hybrids of 177
Funaria 5
Funkia 149; ovata 135; sieboldiana 134, 135
Fusarium 46–48, 52, 53, 55, 56, 164, 239, 297, 361, 367, 419, 430, 497, 503, 504, 547; annum 62, 293; Cepae 161; Eumartii 45, 151, 156, 161; niveum 298, 414, 415, 417, 418; oxysporum 231; solani 504, 505, 510; tracheiphilum 414; vasinfectum 414, 416, 417
Fusarium. I. Lethal action, Effects of ultraviolet radiation and temperature on 45; II. Stimulation 151
Fusarium crown and root rot, and Sclerophoma stem blight, of the Texas bluebell 503
Fusarium in soil, The dissocation of 413

Galega 223
Galium 108, 295; lanceolatum 484; multiflorum 108; tinctorium 481; trifidum 482
Galtonia candicans 134, 135, 146, 355, 372, 373, 376
Gammarus 451; chevreuxi 453
Ganoderma 422
Gastrodia 99
Gaultheria procumbens 484
Gaylussacia 129, 130, 360; baccata 129, 130, 484; baccata glaucocarpa 130; baccata leucocarpa 130; brachycera 129, 130; dumosa 129, 130, 486, 488; dumosa Bigeloviana 130; frondosa 129, 131, 132, 486, 488; frondosa **glaucophylla** 131, 132; frondosa **polycodioides** 131, 132; hirtella 130; mosieri 129, 130, 132; nana 129, 131, 132; orocola 129, 130, 132; tomentosa 129, 130; ursina 129, 130
Gaylussacia in North America north of Mexico, Studies in Ericales I. The genus 129
Gentiana Andrewsii albiflora 424; crinita 13
Genus Cheilophyllum of the West Indies, The 253
Georgia 5
Geranium Bicknellii 165; maculatum 481
Gerardia flava 484
Geum rivale 482; virginianum 483
Gibberella moniliformis 501
Gilia 62
Ginkgo 360

Glaucium 222
Globularia 462
Gloeosporium 421
Gloiodon 546
Glomerella cingulata 109
Glyceria 494
Gnaphalium Webbii 61
Gnomonia nerviseda 423; veneta 540
Godetia 99
Goethalsia 173
Gossypium 498
Gouinia 299
GRAFF, PAUL W., A new species of Collybia from Connecticut 215
Graphium Ulmi 233
Graptopetalum 543
Griffithsea bornetiana 111
Grimaldia 300
Grimmia 6; torquata 2
Grindelia 69–71, 73, 299, 300; arenicola 71–73; arizonica 71; comporum 71, 72; columbiana 71; decumbens 71, 72; Halli 71, 72; hirsutula brevisquama 71; humilis 71, 72; lanceolata 71, 72; maritima 71, 72; nana 71; oxylepis 72; perennis 71; procera 71, 72; rubricaulis elata 71, 72; rubricaulis platyphylla 71–73; squarrosa nuda 71
Grindelia species, Cytological aspects 69
Grisebachiella 472, 477; Hieronymi 471, 473, 474, 476, 478
Grisebachiella, The floral anatomy and probable affinities of the genus 471
Grusonia santamaria 60
Gymnoconia interstatialis 496
Gymnogongrus 362
Gymnosporangium globosum 296

Habenaria flava 485, 487; orbiculata 486, 487; psycodes 480
Habernaria fimbriata 480
Habranthus robustus 405
Halicystis 231
Hamamelis virginiana 484
Handeliodendron 297
Haworthia 106
Haynaldia 497
Hedeoma pulegioides 484
Hedera 251
Helenium **decurrens** 230; helenioides 230; Helenium 230
Helianthus annuus 175; tuberosus 294
Helminthosporium 361; erythrospilum 362; gramineum 166, 363; oryzae 501
Helosis 462
Hemerocallis flava 430
Hemispora 495; coremiformis 495
Hepatica americana 483
Hericium 546
Hesperaloë parviflora 139
Hesperoyucca whipplei 139
Heteranthera 502
Heterodera marioni 294
Heuchera hispida 241
Hibiscus syriacus 539
Hippuris vulgaris 486, 487
Holcus halepensis 135
Homalothecium 8
Hordeum vulgare 295
Hornemannia 298
Hosta caerulea 346, 349, 352, 354, 497
Hosta caerulea, with special reference to the divisions, Nuclear behavior in the tapetum of 345
HOUGHTALING, HELEN B., A developmental analysis of size and shape in tomato fruits 243
Houstonia caerulea 486, 487
Hugelia 62
HUME, H. HAROLD, Duplications in Zephyranthes 403
Huodendron 497
Hyacinthus orientalis 135, 376
Hyalopsora aspidiotus 297
Hydrocharis morsus-ranae 135
Hygrohypnum Nicholsii 543
Hygrolejeunea 210; cerina 208, 210, 264, 265, 277
Hymenodictyon 223
Hymenogaster 167
Hyoscyamus 222
Hypericum perfoliatum 485; perforatum 485
Hypnum calyptratum 2; revolutum 8
Hypodermella Hiratsukae 492
Hypoxis hirsuta 480

Iboza riparia 294
Idria columnaris 363
Ilex cornuta 549
Impatiens biflora 481; pallida 481, 499
Index to American Botanical Literature 59, 105, 165, 231, 291, 359, 421, 490, 539
Indigofera tinctoria 486
Inheritance of a geotropic response in Capsicum fruits, The 75
Inheritance of resistance to loose smut in hybrids of Fulghum and black Mesdag oats 177

Inula Helenium 485
Ipomoea 313
Iris 359, 425; versicolor 481; virginica 233
Isanthus branchiatus 484, 488
Isoetes macrospora 500
Ixia chinensis 486

Jagerinopsis 12; squarrosa 11
Johnson, Duncan S., The development of the shoot, male flower and seedling of Batis maritima L. 19
Juglans 109; cinerea 480; nigra 486, 488
Juncus effusus solutus 481
Juniperus cinerea 484; virginiana 484

Kaiser, Samuel, The factors governing shape and size in Capsicum fruits; a genetic and developmental analysis 433; The inheritance of a geotropic response in Capsicum fruits 75
Kalanchoe daigremontiana 64
Kallstroemia 432
Kalmia angustifolia 482, 487; latifolia 486, 487; polifolia 482, 487
Krigia virginica 485

Lagenaria Lagenaria 228
Lagenidium 541
Lamium amplexicaule 485; purpureum 100
Larix laricina 481, 487, 534
Larrea tridentata 236
Lasiococcus 129; mosieri 132; orocola 130, 132
Leersia 5
Lejeunea 212, 213, 279; cavifolia 212, 272; flava 208, 212, 213, 264, 265, 267–269, 271–277, 279; inundata 208, 212, 213, 277; serpyllifolia 272
Lejeuneae, The anatomy of the stem in the 187; 259
Lemanea grandis 107
Lemna cyclostasa 294
Lens Lens 228
Leontodon autumnalis 355
Leontopodium Leontopodium 228
Lepidium latofolium 424
Lepidostrobus 291
Leptocolea 261; planifolia 259–261, 277; scabriflora 259, 261, 262, 265, 277
Leptolejeunea 214; elliptica 208, 214, 265, 272, 277
Leptopoda decurrens 230; helenioides 230; Helenium 230
Leptosiphon 462
Leptospermum 362
Leptostachya 229; carolinensis 229; Leptostachya 229
Leptostachys 229; Leptostachys 229
Lespedeza 108, 494
Leucobryum 5; minus 4
Leucodoniopsis 9
Leucodontopsis 9
Leucolejeunea 199; xanthocarpa 194, 198, 199, 202, 266, 277
Leucomium 113
Leucothoë 549
Levisticum Levisticum 228
Ligustrum vulgare 485
Lilaeopsis 497
Lilio-narcissus bifolius purpureus 405, 408
Lilium 149, 375, 376, 378; canadense 372, 378, 482; columbianum 236; longiflorum 138; philadelphicum 138, 485, 487; regale 168; superbum 485, 488; tigrinum 173
Limnanthemum 2
Limonium Limonium 228
Linaria vulgaris 485
Linum 335, 462; usitatissimum 60
Liquidambar 2
Listera ovata 135
Literature, Index to American Botanical 59, 105, 165, 231, 291, 359, 421, 490, 539
Lithospermum arvense 485
Littorella americana 237
Lobelia 335, 462; cardinalis 482; inflata 485; Kalmii 482
Local flora, Recent changes in the composition of a 479
Lonchocarpus 235
Lupinus 222; albus 364; citrinus 490; perennis 484, 488
Lycaste longiscapa 500
Lychnis dioica 135
Lycium 176; halimifolium 175
Lycopersicon Lycopersicon 227
Lycopersicum 229, 251, 454; esculentum 243, 247–250, 252; pimpinellifolium 243, 247–250, 252; Solanum-Lycopersicum 229
Lycopodium clavatum 534; complanatum 6; complanatum flabelliforme 238
Lycopus americanus 482; europeus 482
Lycosa 148
Lygodesmia juncea 174
Lysimachia quadrifolia 484

Macrosiphum pisi 366
Macrosporium 164, 361; tomato 161
Maesa hirsuta 501

Maianthemum canadense 483
Malachodendron pentagynum grandiflorum 490
Malaxis 490
Malus Malus 227
Malvastrum 549
Malvaviscus Conzattii 539; Malvaviscus 228
Mamillopsis-Cochemiea 296
Mammillaria 173; pyrrhocephala 166; saetigera 60
Mandragora 229; Mandragora 229
Manfreda maculosa 174
Mangifera indica 291
Manihot Manihot 228
Marasmius 539
Marsilea 169
Martiella 239
Martin, G. W., Atractobasidium, a new genus of the Tremellaceae 339
Mastigolejeunea 200, 201; auriculata 199, 200, 277
Mauchia hirtella 499
Maurandia 492
Maxillaria fucata 113
McNair, James B., Angiosperm phylogeny on a chemical basis 515; The taxonomic and climatic distribution of alkaloids 219
McVaugh, Rogers, Recent changes in the composition of a local flora 479
Medeola virginiana 480
Megaskepasma erythrochlamys 60
Melanthalia abscissa 496
Melilotus 61; alba 493
Melocactus 109
Mentzelia decapetala 106; oligosperma 106
Menyanthes 462; trifoliata 482, 487
Mercurialis annua 135, 136, 150, 241, 395
Mesembryanthemum aurantiacum grandiflorum 422
Mexico, Studies in the Ericales I. The genus Gaylussacia in North America north of 129
Microcachrys tetragona 497
Microdus 113
Microlejeunea 213; bullata 208, 213, 214, 262, 265, 272, 276, 277
Milesia 295; marginalis 110
Mimulus ringens 482
Mirabilis 498; jalapa 173
Mislaid mistletoe, A 337
Mistletoe, A mislaid 337
Mitchella repens 484
Mitella diphylla 484
Mitragna 223
Mnium 5, 7
Moina 399
Moldenke, Harold N., Additional notes on tautonyms 227
Mollia 60
Mollugo verticillata 172
Monarda 233
Monilia albicans 236
Monotropa uniflora 484
Moringa Moringa 228
Morus 149; indica 135, 136
Mouriria anomala 135, 137, 146, 149, 376, 380
Mucor stolonifer 56
Mucornella 546
Murraya 492
Muscari botryoides 135
Muscorum 64
Mycena 218
Mycobacterium Phlei 300
Myoporum 462

Naias marina 135, 544
Najas 547
Natural distribution of Cytisus scoparius in Virginia with special reference to soil reaction, The 331
Neckera 8
Nectria 176
Nelumbo Nelumbo 228
Neobesseya 545
Neolloydia 171
Neomammillaria 173; confusa 166; Hoffmanniana 240; Macdouglai 493
Nepeta Cataria 485
Nerine rosea 135
Neurolaena 297
Neurolejeunea 195, 264; Breutelii 194, 195, 263, 276, 277
Neurospora 118, 122, 125, 127, 128, 170, 362, 500, 542; crassa 117, 124, 170; sitophila 124; tetrasperma 117, 119, 124, 126, 128
Neurospora, A recessive factor lethal for ascospore formation 117
New species of Collybia from Connecticut, A 215
New species of Ephedra from Western Texas, A 43
Nicandra physaloides 135, 148
Nicotiana 222, 314, 315, 328, 490, 542; Langsdorfii 109; paniculata 169; phylesis 63; rustica-paniculata 169; sanderae 109; sylvestris 315, 320–324; tabacum 107, 172, 293, 296, 315, 322–324, 496

Nicotiana, and its relation to polarized growth, Differential distribution of a phytohormone in the developing leaf of 313
Nipissing flora of the Apostle Islands region, The 533
Nissolia Hintoni 238
Nitella 234, 237
Nolana 355
North America north of Mexico, Studies in the Ericales I. The genus Gaylussacia in 129
Notes on Texas phloxes 381
Nothofagus 166
Nuclear behavior in the tapetum of Hosta caerulea, with special reference to the divisions 345
Nutritional requirements of the fungus Aspergillus niger, The 81
Nymphaea advena 482
Nyssa aquatica 237; multiflora 481; sylvatica 481, 488

Oakesia sessilifolia 480
Oats, Inheritance of resistance to loose smut in hybrids of Fulghum and black Mesdag 177
Observations and experiments on sex in plants 387
Octodiceras Julianum 7
Odontia 491
Odontolejeunea 264; lunulata 203, 205, 207, 264, 275, 277
Oedocladium 281
Oedogoniaceae of Oklahoma including new species and varieties, The 281
Oedogonium 281, 284, 286, 369; armigerum 284; aster 284; bohemicum 284; borisianum 284; Boscii occidentale 284; Braunii 284; capitellatum 284; cardiacum 284; cardiacum carbonicum 284; cardiacum minus 284; concatenatum 284, 285; concatenatum hutchensiae 285; concatenatum **regulare** 284, 290; crassiusculum 285; crassiusculum arechavaletae 285; crassiusculum cataractum 285; crassiusculum idioandrosporum 285; crassum 285; crispum 285; crispum gracilescens 285; crispum granulosum 285; cryptoporum 285; cryptoporum vulgare 285; cyathigerum 285; cyathigerum ellipticum 285; echinospermum 285; exocostatum 281, 285; flavescens **minus** 285, 286, 290; **fuscum** 286, 290; giganteum 286; grande 286; grande angustum 286; Gunnii 287; Howardii 287; Howardii minus 287; illinoisense **oklahomense** 287, 290; intermedium 287; irregulare 287; irregulare condensatum 287; Landsboroughi 287; longicolle senegalense 287; macrandium aemulans 287; macrandium Hohenackerii 287; macrandium lundense 287; mexicanum 287; mitratum 287; multisporum 288; nebraskense 288; oblongum **sphaericum** 288, 290; oboviforme 288; **ouchitanum** 288, 290; paludosum parvisporum 288; paucocostatum 288; pithophorae 288; plagiostomum gracilius 288; princeps 288; Pringsheimii abbreviatum 288, 290; propinquum 287; pungens 289; pusillum 289; pyriforme 288; pyrulum 288; rigidium 289; Rothii 289; rufescens exiguum 289; rugulosum minutum 289; Sancti Thomae 289; simplex 288; sphaericum 288; **subglobosum** 289, 290; suecicum australe 289; tapeinosporum 289
Oenothera 99, 102; biennis 484; parviflora 486; pollicata 298
Omphalanthus 198, 264; filiformis 194, 196, 198, 263, 266, 277
Omphalodes Omphalodes 228
Ophiobolus graminis 425
Ophioglossum 6; Engelmanni 241; vulgatum 430
Opopanax Opopanax 228
Opuntia echinocarpa 231; erinacea 493; leptocaulis 20; Opuntia 228
Orchis flava 485
Origin and development of the female gametophyte, endosperm and embryo in Orobanche uniflora 455
Ormosia 222
Orobanche cumana 458, 464; gracilis 455, 460, 464; hederae 455, 460, 464; minor 455, 457, 458, 464; ramosa 458; uniflora 455, 456, 458, 460, 462, 463
Orobanche uniflora, Origin and development of the female gametophyte, endosperm and embryo in 455
Orthotrichum 4, 5; stellatum 13
Orton, C. R., The dissociation of Fusarium in soil 413
Oryza sativa 135, 136, 148, 372
Osmorhiza longistylis 484
Ourouparia 223
Oxalis 297; Acetosella 486, 487; stricta 484
Oxycoccus Oxycoccus 230; quadripetalus 230

Panicum longifolium 497; variegatum 169

Papaver 222
Papillaria nigrescens 8; nigrescens Donnellii 8
Paramachaerium 362
Paratettix texanus 136, 149
Parkinsonia microphylla 429
PARKS, MABEL, Embryo sac development and cleistogamy in Commelinantia Pringlei 91
Parnassia 549; asarifolia 231
Paronychia argyrocoma 237
Parsonia 110
Patagonia, A fossil Cochlospermum from northern 65
Pedicularis 172; canadensis 481
Pedilospora dactylopaga 62
Pellaea compacta 542
Peltandra virginica 167
Penicillium 424; brevicaule hominis 242; digitatum 56; expansum 60; italicum 56; javanicum 109; Zukalii 544
Peniophora Allescheri 496
Pennell, Francis W., The genus Cheilophyllum of the West Indies 253
Penstemon hirsutus 485
Pentaclethra 222
Penthorum sedoides 482
Peronospora 369; viciae 239
Persea americana 230; Persea 230
Pestalotia 549
Petroselinum Petroselinum 228
Petunia 167, 542, 545
Phacelia californica 293; hispida 300
Phascum 6
Phaseolus vulgaris 171, 550
Phegopteris dryopteris 239
Philonotis 9, 543
Phlox 294, 381, 383; aspera 381; Drummondii 381, 382, 384, 386; Drummondii glabriflora 381–384; Drummondii tenuis 381; Drummondii villosissima 381, 382; Drummondii viscosissima 381; **glabriflora** 383, 384; pilosa 381, 382, 502; roemeriana 381, 384; tenuis 381, 384; villosissima 381–383
Phloxes, Notes on Texas 381
Pholiota polychroa 430
Pholisma arenarium 361
Phoradendron 337, 432; **auriculatum** 337, 338
Phragmites Phragmites 228
Phryma Leptostachya 229
Phycomyces 232
Phyllactinia 144
Phyllocactus 174
Phymatotrichum 299; omnivorum 424, 491
Physcomitrella patens 5
Physcomitrium 5; pygmaeum 12; turbinatum 7
Physocolea proboscoidea 262
Physostigma 223
Phytolacca americana 483
Phytomonas rhizogenes 168, 173; tumefaciens 168, 173
Phytophthora 428
Picea 534, 535; canadensis 234; mariana 534
Pilotrichella floridana 8
Pilularia 169, 498
Pimenta Pimenta 228
Pinus 146, 147, 376, 378, 379, 535, 542; balsamea 485; Banksiana 534; canadensis 483; contorta 294; palustris 172, 175; pendula 481; ponderosa 242; resinosa 483, 487, 534; rigida 483; Strobus 483, 534
Pisum 453; sativum 135, 146, 372, 376
Plagiochila asplenioides 190
Plantago arenaria 548; lanceolata 135
Plants, Observations and experiments on sex in 387
Plasmodiophora Brassicae 169
Platanus occidentalis 482
Platygloea 342
Platygyrium branchycladon 7; repens 7
Platymiscium lasiocarpum 238
Pleuridium 6
Pleurochaete squarrosa 239
Pleuroderris 171
Pleurotus corticatus 544
Pocillum 424
Podophyllum 376; peltatum 481
Pogonatum 5
Pogonia affinis 240
Polycodium 131; stamineum 131
Polygala 491
Polygonatum pubescens 480
Polygonum arifolium 481; commutatum 482; Persicaria 485; punctatum 481; sagittatum 481; scandens 483; virginianum 480
Polypodium vulgare 6
Polythrincium 300
Polytrichum 5
Pontederia cordata 482
Populus angulata 480; deltoides 480; dilatata 485; nigra italica 485; tremuloides 483
Poria Sumstinei 498
Porophyllum Porophyllum 230; ruderale 230
Portulaca oleracea 492
Posadasia 496; capulata 496; pyriformis 496
Potamogeton foliosus 61

Potamolejeunea 212; orinocensis 208, 212, 264, 277
Prunella vulgaris 485
Prunus 147; lanata 360; pennsylvanica 359; persica 363; serotina 484; virginiana 359, 483
Pseudococcus maritimus 506, 509, 510
Pseudo-Idaea 129
Pseudotsuga 542
Pteridium latiusculum 484
Pteridophyta 2
Ptychanthus 198; striatus 191, 193, 195, 201, 264, 265, 275, 277
Published work of Elizabeth Gertrude Britton, The 1
Puccinia 426; coronata avenae 428; graminis 62, 168, 378, 545; rubigovera 542; Sorghi 421; tomipara 542; triticina 378
Purdiaea 495
Pycnolejeunea 211; macroloba 208, 211, 264, 266, 277
Pycnophyllum 365
Pyracantha Pyracantha 228
Pyrola americana 484
Pythium 369; scleroteichum 423

Quercus 534, 535; alba 2, 483; velutina 483

Radula 270, 271; complanata 269, 271, 272, 280
Radulum 546
Ranunculus abortivus 480; acris 485; hirsutus 480; recurvatus 480; repens 482
Recent changes in the composition of a local flora 479
Recessive factor lethal for ascospore formation in Neurospora, A 117
REED, E. L., A new species of Ephedra from Western Texas 43
REED, GEORGE M., Inheritance of resistance to loose smut in hybrids of Fulghum and black Mesdag oats 177
Relation of chromosome pairing to fertilization, The 369
Remijia 223
Retama 223
Rhacopilum tomentosum 8
Rhapontica Rhapontica 229
Rhaponticum scariosum 229
Rhipsalis 499
Rhizobium 114, 549; Meliloti 114; Phaseoli 114; Trifolii 114
Rhizoctonia 359, 504; bataticola 500; Solani 109, 176; Zeae 175
Rhizopus nigricans 495
Rhododendron maximum 486, 488; nudiflorum 484; viscosum 482
Rhoeo discolor 429
Rhus toxicodendron 174
Rhynchospora confusa 231
Ribes 105, 346; floridium 481
Riccia 41, 108; canaliculata 40, 41; fluitans 33, 34, 38–42, 232; glauca 64; Heubeneriana 33, 40, 41; pseudo-Frostii 40; Sullivantii 40
Riccia fluitans L.—a composite species 33
Ricinus zanzibariensis 135
Robinia 114; Pseudo-Acacia 485
ROEVER, WM. E., Nuclear behavior in the tapetum of Hosta caerulea, with special reference to the divisions 345
Root rot, and Sclerophoma stem blight, of the Texas bluebell, Fusarium crown and 503
Roridula 170
Rosa 544; carolina 483; parviflora 483
Rubus 69, 483; idaeus aculeatissimus 483; occidentalis 483; parviflorus 295; setosus 486, 487; strigosus 483; trivialis 484; villosus 483, 484
Rudbeckia speciosa 165
Rumex Acetosella 485

Sabal louisiana 231
Saccanthus 60
Saccharomyces 110, 172, 237; cerviciae 355
Sagittaria latifolia 481; sagittifolia 481
Sahuaro Carnegiea 498
Salicornia 19
Salisburia adiantifolia 2
Salix 69, 534
Sambucus canadensis 483; racemosa 484
Samuela faxoniana 139
Sanguinaria canadensis 481
Sanicula marilandica 481
Saprolegnia 369
Sarcobatus 19
Sarcophaga 137
Sarcostemma viminale 175
Sarothannus 223; Adreanus 335; scoparius 335
Sarracenia laciniata 365
Sassafras variifolium 483
SATINA, SOPHIA and A. F. BLAKESLEE, Fertilization in the incompatible cross Datura Stramonium × D. Metel 301
Saurauia 430
Saxifraga pennsylvanica 482; tennesseensis 493; virginiensis 483
Scaevola 462

SCHAFFNER, JOHN H., Observations and experiments on sex in plants 387
Schilderia adamanica 167
Schistotega 6
Schizaea pusilla 6, 7
Schradera marginalis 59
Schraderobyrum 113
Scilla 95; bifolia 135
Sclerophoma 504–510; **eustomonis** 505–508, 510
Sclerophoma stem blight, of the Texas bluebell, Fusarium crown and root rot, and 503
Scolytus ventralis 550
Scouleria 5
Scrophularia marylandica 455, 464
Scutellaria cordifolia 482; galericulata 482
Sebacina globospora 432
Secale 144, 498; cereale vulgare 496
Sedum 359, 362
Selaginella 165, 547
Seligeria campylopoda 7; Doniana 7
Sematophyllum 7, 8; recurvans 8
Septoria acicola 175; Lycopersici 544
Sequoia 499
Sida spinosa 486
Silvia 493
Sirobasidium 342, 343
Sisyrinchium anceps 482; gramineum 482
Sium 462
Smilacina racemosa 480; stellata 482; trifolia 485, 487
Smilax herbacea 483
SMITH, ELIZABETH C., Effects of ultra-violet radiation and temperature on Fusarium. I. Lethal action 45; II. Stimulation 151
Solanum 222; Lycopersicum 229; nigrum 485; seaforthianum 174; Tuberosum 229, 497
Solidago altissima 481; canadensis 481; flexicaulis 481; rugosa 456
Solmsiella Kurzii 499
Sophora 222, 291
Sorghum 148
Sorodiscus 502
Sorosporium reilanum 431
Spartium 223
Spermatochnus paradoxus 496
Sphacelaria bipinnata 546
Sphaceloma 545; perseae 427
Sphacelotheca cruenta 429; Sorghi 429, 431
Sphaeralcea 494, 549
Sphaerocarpos 501, 539
Sphagnum 275, 369, 534; cuspidatum 275
Spinacia oleracea 135, 149, 376, 380
Spiraea latifolia 482; nipponica tosaensis 500; salicifolia 482; tomentosa 482
Spiranthes 490; cernua 481; gracilis 484
Spirogyra 369, 370, 379
Spirulina 364
Splachnobryum 9
Splachnum 6
Sporodinia 369
Sporotrichum Beurmanni 56, 58; Schencki 240
Stachys 233; tenuifolia aspera 482
Stagonospora Curtisii 430
Stangeria paradoxa 138, 147
Staphylococcus aureus 50, 53
Staurastrum stellatum 431
Steccherinum 546
STEINBERG, ROBERT A., The nutritional requirements of the fungus, Aspergillus niger 81
Steironema ciliatum 482
Stelis 165
Stellaria media 100
Stem blight, of the Texas bluebell, Fusarium crown and root rot, and Sclerophoma 503
Stemodia radicans 253, 254
Stereum sanguinolentum 494
Sterigmatocystis 47
STEYERMARK, JULIAN A. and THOMAS W. WHITAKER, Cytological aspects of Grindelia species 69
Stictolejeunea 195; Kunzeana 193–195, 198, 265, 277; squamata 194, 195, 277
Stilbum 431
Stomiopeltis Citri 360
Studies in the Ericales. I. The genus Gaylussacia in North America north of Mexico 129
Study of chromosome pairing in Yucca rupicola, A 133
Styrax 546
Symplocarpus foetidus 481
Synthyris schizantha 366
Syrbula 134, 148
Syrrhopodon parasiticus 13
Syzygites 369

TAFT, CLARENCE E., The Oedogoniaceae of Oklahoma including new species and varieties 281
Talinum 107, 233; calycinum 62
Taphrina deformans 296
Taraxacum officinale 485; Taraxacum 228
TAUBENHAUS, J. J. AND WALTER N. EZEKIEL, Fusarium crown and root rot, and Sclerophoma stem blight, of the Texas bluebell 503

Tautonyms, Additional notes on 227
Tavaresia grandiflora 544
Taxilejeunea pterogonia 208–210, 260, 262, 264, 265, 276, 277
Taxithelium 113
Taxodium distichum 232, 486
Taxonomic and climatic distribution of alkaloids, The 219
Taxus canadensis 534
Tecoma radicans 485
Ternstroemiopsis 494
Tetranychus bimaculatus 509
Tetraplodon 6
Tetrastrum 59
Teucrium canadense 482
Texas, A new species of Ephedra from Western 43
Thalictrum 388, 393, 399; dasycarpum 388, 392, 398, 400, 401; dioicum 388, 480; Fendleri 400; polygamum 400
Thamnobryum 12
Thelebolus 126
Thevetia Thevetia 228
Thielaviopsis basicola 165
Three new cuscutas 511
Thuidium 2
Thysananthus 201; amazonicus 199, 201, 277
Tibouchina 234
Tilia americana 484
Tilletia laevis 171; levis 496; Tritici 496
Tinantia anomala 91; fugax 92
Tomato fruits, A developmental analysis of size and shape in 243
Tournefortia 106
Tradescentia 91, 99, 100, 173, 346, 498, 539; anomala 91; erecta 92; Pringlei 91; virginiana 235; virginica 95, 99
Trametes Pini 172
TRELEASE, WILLIAM, A mislaid mistletoe 337
Tremella 342; lutescens 342
Tremellaceae, Atractobasidium, a new genus of the 339
Trichocolea tomentella 262
Trichoderma 240, 359, 504; lignorum 175
Tricholoma 218
Trichomanes radicans 7
Trichophyton gypseum 58
Trichosporium symbioticum 550
Trichostomum Warnstorfii 7
Trientalis americana 484
Trillium 376, 549; erectum 295, 480, 499; Ludovicianum 502
Tritelia Bridgesii 490
Triticum 144; vulgare 173
Trymatococcus 545
Tsuga canadensis 165, 483
Tuberculina maxima 363
Tubiflora acuminata 174
Tuomeya fluviatilis 3
TURNER, THOMAS W., The natural distribution of Cytisus scoparius in Virginia with special reference to soil reaction 331
Tympanis pinastri 425
Typha latifolia 481
Typhilla latifolia 481

Ugni Ugni 228
Ulmus americana 480; campestris 485; fulva 480
Ulota 5; americana 4; phyllantha 2
Ultra-violet radiation and temperature on Fusarium I. Lethal action, Effects of 45; II. Stimulation 151
Unifolium canadense 13
Uraspermum claytonia 484
Uromyces appendiculatus 378; Phaseoli typica 544; vignae 378
Urticastrum divaricatum 393, 398
Ustilago Avenae 177–180, 183, 185, 186; levis 177, 183, 185, 186; striaeformis 541; Tritici 168; Zeae 174, 295, 423
Utricularia 110, 296; Rendlei 296
Uvularia grandiflora 480, 488; perfoliata 297, 480

Vaccaria Vaccaria 227
Vaccinium corymbosum 482; dumosum 486; frondosum 486; pennsylvanicum 483; resinosum 484; tenellum 483; vacillans 483; virgatum 483
Vallea stipularis pyrifolia 60
Vallisneria spiralis 61
Vandellia 102; sessifolia 91
Vanilla Vanilla 227
Verbascum Thapsus 485
Verbena corymbosa 110; hastata 483; urticaefolia 483
Veronica agrestis 485; americana 482; anagallis 482; officinalis 484; virginica 482
Verticillium 169
Viburnum 61; alnifolium 110
Vicia 376, 498; faba 313, 454
Viola 69, 99, 100; cucullata 481; pubescens 481; riviniana 102
Viscaria Viscaria 228
Vitis-Idaea rotundifolia 175; Vitis-Idaea 227

Vittaria lineata 7

Wallrothiella arceuthobii 233
WATKINS, G. M., A study of chromosome pairing in Yucca rupicola 133; The relation of chromosome pairing to fertilization 369
Webera 6
Weissa 5
West Indies, The genus Cheilophyllum of the 253
WHEELER, LOUIS C., Euphorbia capitellata its synonymy and range 537
WHITAKER, THOMAS W. AND JULIAN A. STEYERMARK, Cytological aspects of Grindelia species 69
WHITEHOUSE, EULA, Notes on Texas phloxes 381
WILSON, L. R., The Nipissing flora of the Apostle Islands region 533
Wistaria 2
Wojnowicia graminis 499
Woodsia obtusa 541
WOODSON, JR., ROBERT E., The floral anatomy and probable affinities of the genus Grisebachiella 471

Xanthium 112
Xolisma 427

Yucca 133, 134, 138, 140, 143–148, 375–377, 380, 427; aloifolia 134, 135, 139, 149, 372, 373; angustissima 139; constricta 139; draconis 134, 135, 139, 140, 372, 373; elata 139; filamentosa 139; flaccida 139, 149; glauca 139, 147; gloriosa 134, 139; guatemalensis 134, 135, 139, 140, 372, 373; macrocarpa 139; recurva 139, 150; rupicola 133, 138–140, 147, 373–376, 432; Whipplei 109
Yucca rupicola, A study of chromosome pairing in 133
YUNCKER, T. G., Three new cuscutas 511

Zanthoxylum americanum 481
Zea Mays 240, 394, 399, 400, 544; tripsacum 495
Zephyranthes 403, 405, 544; bifolia 405, 406; carinata 404, 405, 408; citrina 403, 404, 408; Eggersiana 403, 404; robusta 405, 408; rosea 405, 406, 408; Tubertiana 405; Tsouii 404
Zephyranthes, Duplications in 403
Zeugites munroana 170
Zingiber Zingiber 228
Zizania 544
Zostera 111, 367; marina 361, 429
Zygodon 9